	·		
	Application No.	Applicant(s)	
Notice of Allowability	10/789,075	CHEUNG ET AL.	
	Examiner	Art Unit	
	Charles I. Boyer	1751	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the application received Feb 27, 2004.			
2. The allowed claim(s) is/are <u>1-25</u> .			
3. The drawings filed on are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do 	e been received. e been received in Application No		tion from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply IENT of this application.	complying with the red	quirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets") must	st be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drawin he header according to 37 CFR 1.121(c	igs in the front (not the i).	back) of
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	ISIT OF BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. I AL MATERIAL.	Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5.	atent Application (PT	O-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	-
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 08), 7. ☐ Examiner's Amendn		
Paper No./Mail Date <u>2/27/04</u> 4. Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's Stateme		owance
of Biological Material	9. Other	· · · · ·	
CHARLES BOYER PRIMARY EXAMINER			

A

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Andrew Parfomak on August 5, 2005.

The application has been amended as follows:

In line 2 of page 1 of the specification, delete "PCT/GB03/" and insert – PCT/GB04/000589-- therefor

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance: Applicants have claimed a sprayable hard surface cleaning and/or disinfecting composition which comprises:

a thickener constituent which comprises both gellan gum and xanthan gum;

at least one anionic surfactant;

at least one nonionic surfactant;

an acid constituent;

suspended inclusions which appear as visibly discernible, discrete particulate materials:

optionally, at least one further detersive surfactant selected from amphoteric and

Application/Control Number: 10/789,075

Art Unit: 1751

zwitterionic surfactants;

optionally, but desirably at least one organic solvent;

optionally, one or more constituents for improving the aesthetic or functional

features of the inventive compositions;

and water.

The closest prior art of Garner et al, US 6,037,316 teaches abrasive compositions comprising citric acid anionic surfactant, and abrasive (col. 9, table IX). The prior art does not teach the specific thickener system of the present claims in combination with the other components presently claimed. Accordingly, the present claims are allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles I. Boyer whose telephone number is 571 272 1311. The examiner can normally be reached on M-F 9:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yogendra Gupta can be reached on 571 272 1316. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/789,075 Page 4

Art Unit: 1751

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charles I Boyer Primary Examiner Art Unit 1751